## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

Claims 1618, 27 and 23 are amended and claims 24-33 are newly added.

## Listing of Claims

- 1.-15. (Cancelled).
- 16. (Withdrawn Currently Amended) A kit, comprising:
  - (a) at least one sheet according to claim 18 multiple substrates with the fabrie shrinkage reducing composition and the liquid cleaning/refreshment composition according to Claim 1-releasably absorbed therein;
  - (b) a re-usable containment bag;
  - (c) optionally, a treatment member;
  - (d) optionally, a separate portion of a spot cleaning composition; and
  - (e) optionally, one or more absorbent stain receiver articles.
- 17. (Withdrawn) The kit according to claim 16, wherein the separate portion of the spot cleaning composition is provided in a container, and the treatment member is the tip of the container.
- 18. (Currently Amended) A sheet which is specifically adapted to clean and/or refresh fabrics in a hot air apparatus, the sheet comprising:
  - (a) a substrate comprising a surface area from about 360 cm<sup>2</sup> to about 3000 cm<sup>2</sup>;

- (b) from about 10 grams to about 30 grams of a liquid cleaning/refreshment composition comprising at least about 80% by weight, of water releasably absorbed in the substrate; and
- (c) from about 2 grams to about 20 grams of a fabric shrinkage reducing composition comprising a fabric shrinkage reducing agent selected from the group consisting of: ethylene glycol, all isomers of propanediol, butanediol, pentanediol, hexanediol and mixtures thereof releasably releasable absorbed in the substrate.
- 19. (Previously Presented) The sheet according to claim 18, further comprising a permeable fibrous coversheet which encases the outer surfaces of the core element.
- 20. (Previously Presented) The sheet according to claim 18, wherein the cleaning/refreshment composition comprises up to about 2%, by weight, of a nonionic surfactant.
- 21. (Previously Presented) The sheet according to claim 19, wherein the fibrous coversheet is vapor permeable to the cleaning/refreshment composition and the fabric shrinkage reducing composition; wherein the coversheet has a minimum thickness of at least about 8 mils.
- 22. (Currently Amended) The sheet according to claim 21, wherein the coversheet is bonded to the <u>substrate eoversheet</u> in discrete areas.
- 23. (Currently Amended) The sheet according to claim 18, wherein the liquid absorbing substrate is a hydroentangled fabric.
- 24. (New) The sheet according to claim 18, wherein the cleaning/refreshment composition comprises a nonionic surfactant.

- 25. (New) The sheet according to claim 18, wherein the cleaning/refreshment composition comprises an ethoxylated alcohol or a ethoxylated alkyl phenol.
- 26. (New) The sheet according to claim 18, wherein the cleaning/refreshment composition comprises a glycol ether.
- 27. (New) The sheet according to claim 18, wherein the cleaning/refreshment composition comprises a butoxy propoxy propanol.
- 28. (New) The sheet according to claim 18, wherein the fabric shrinkage reducing agent is neopentyl glycol.
- 29. (New) The sheet according to claim 18, wherein the fabric shrinkage reducing agent is 1,2 propanediol.
- 30. (New) The sheet according to claim 18, wherein the ratio of the fabric shrinkage reducing composition to the liquid cleaning/refreshment composition ranges from about 1:2 to about 1:5.
- 31. (New) The sheet according to claim 18, wherein the ratio of the fabric shrinkage reducing composition to the liquid cleaning/refreshment composition is about 1:3.6.
- 32. (New) A sheet comprising:
  - (a) a substrate comprising a surface area from about 360 cm<sup>2</sup> to about 3000 cm<sup>2</sup>;

- (b) from about 10 grams to about 30 grams of a liquid cleaning/refreshment composition comprising at least about 80% by weight, of water releasably absorbed in the substrate; and
- (c) from about 2 grams to about 20 grams of a fabric shrinkage reducing composition comprising a fabric shrinkage reducing agent selected from the group consisting of: ethylene glycol, all isomers of propanediol, butanediol, pentanediol, hexanediol and mixtures thereof releasably absorbed in the substrate;

with the proviso that the sheet does not include 1,2-octanediol.

- 33. (New) A sheet which is specifically adapted to clean and/or refresh fabrics in a hot air apparatus, the sheet comprising:
  - (a) a substrate comprising a surface area from about 360 cm<sup>2</sup> to about 3000 cm<sup>2</sup>;
  - (b) from about 10 grams to about 30 grams of a liquid cleaning/refreshment composition comprising at least about 80% by weight, of water releasably absorbed in the substrate; and
  - (c) from about 2 grams to about 20 grams of a fabric shrinkage reducing composition comprising a fabric shrinkage reducing agent selected from the group consisting of: ethylene glycol, all isomers of propanediol, butanediol, pentanediol, hexanediol and mixtures thereof releasably absorbed in the substrate;

wherein the sheet is designed to be used in vapor-venting containment bags that have a VVE score ranging from about 40% to about 90%.